



General instructions for Stuffedies with Arms/Legs/Tails



Always do arms/legs/tails first!!!

- Hoop your stabilizer – run placement lines on your stabilizer to tell you where to add your fabrics
- Lay fabrics right sides together over the placement lines there may be more than one step for these if you want to use different colors.

Pictured is after the legs/arms are sewn out




Trim these pieces with $\frac{1}{4}$ inch inseam. Turn right side out and stuff as desired leaving $\frac{1}{4}$ - $\frac{1}{2}$ " inseam



- Start new hooping of stabilizer and run placement line / tack down however you prefer to use this step as pictured.



Treat this design as if it were an applique running placement lines placing material over and tacking down then trimming. You can find a print map in each of my stuffie designs labeled as a .jpg




With in the last few steps there will be a step that adds a placement stitch for the items you will be adding to your stuffie. Run that placement line the place your item over that placement like giving $\frac{1}{4}$ - $\frac{1}{2}$ " over the line to securely add your arms/legs/tails/ears



Do all items in a counter clockwise rotation.

Your item will look like this.



You may want to tape down your items as to not get in your way for the final step of your design



Lay your final (back) piece of fabric right side down towards your design and run final step. You may want to turn your machine on slow if it does not handle thick fabrics. Remember this when choosing what type of fabrics you want to use.



Trim around your item with $\frac{1}{4}$ " inseam or as desired as pictured. Make sure you leave a larger inseam around turning hole to sew shut! Turn right side out and stuff and stitch closed with a ladder stitch.

